

Stichwortverzeichnis

A

- a2dismod 334
- a2enmod 334
- a2ensite 334
- aa-complain 470
- aa-enforce 470
- aa-logprof 471
- aa-status 469
- Active Directories 278
- add machine script 306
- addgroup 72
- addprinc 250
- addresses 67
- adduser 72
- Administration 64
- aktive Ports finden 430
- Alias 339
- Alias (E-Mail) 398
- alias_database 399
- alias_maps 399
- Allow 340
- AllowOverride 340
- Anacron 106
- Apache 331
 - Authentifizierung 341
 - HTTPS 350
 - Passwort 341
 - PHP 355
 - Sicherheit 341
 - Unicode 335
 - virtuelle Hosts 344
 - Zugriff sperren 341
- AppArmor 467
- APT 111
 - apt-cache 114
 - apt-cacher 118
 - apt-get 111
 - apt-key 112
 - aptitude 117
 - asymmetrische Verschlüsselung 350

- async (NFS) 213
- atime (mount-Option) 136
- AuthConfig 340
- Authentifizierung
 - POP 410
 - SMTP 411
- AuthName 343
- AuthType 343
- AuthUserFile 343
- automatische Updates 115
- Autoresponder 424

B

- Büro-Server 182
- Backup Domain Controller 278
- Backups 489
 - inkrementelle 496
 - Kerberos 272
 - LDAP 242
 - LVM-Snapshots 498
 - MySQL 376
- BDC 278
- Benutzerverwaltung (LDAP) 231
- BIND 200
- bind interfaces only 284
- Blacklist (E-Mail) 389
- /boot
 - /grub/menu.lst 87
- bootdegraded (Kerneloption) 94
- Bootsektor 86
- browseable 292
- Browsing (Samba) 276
- BusyBox 54

C

- Cache (WWW) 475
- canonical_maps 402
- chap-secrets 459, 463
- checkarray 155
- check_policy_service 415
- chsh 72

- ClamAV 421
- clamav-milter 422
- Computerkonto (Samba) 305
- cpu 233
- create mask 293
- crossmnt (NFS) 218
- CUPS 317
- cups.conf 318
- curl 500
- CustomLog 339

- D**
- DansGuardian 483
- Dateisystem
 - Administration 131
 - Typen 136
- ddns-update-style 205
- delgroup 72
- deluser 72
- Deny 340
- /dev/mapper 160
- df 132
- dhclient 67
- dhclient.conf 67, 192
- DHCP 189
 - Server (DNS) 205
 - Server, mehrere Netzwerke 198
- dhcpcd 196
- dhcpcd.conf 196
 - DNS 203
- dig 203
- directory mask 293
- DirectoryIndex 339
- dmesg 125
- dmraid 27
- DNS
 - Cache-only-Konfiguration 200
 - Firewall 201
 - Mail-Server 389
 - Reverse DNS 390
 - Wartungsarbeiten 203
- dns proxy 281
- Dnsmasq 189
- dnssec-keygen 204
- do-release-update 116
- DocumentRoot 338
- domain logons 305
- domain master 305
- Domain-Level-Sicherheit 278
- Domain-Nameserver 190

- Dovecot 408
 - POP-Authentifizierung 410
 - SMTP-Authentifizierung 411
- dovecot.conf 408
- dpkg 109
- dpkg-reconfigure 110
- Drucker-Server 317

- E**
- E-Mail
 - Alias 398
 - Blacklist 389
 - DNS 389
 - Grundlagen 386
 - Listen 424
 - Relaying 389
 - Server 385
 - Viren 421
 - Webmail-Schnittstelle 424
- ErrorDocument 339
- ErrorLog 338
- /etc
 - /aliases 395, 398
 - /anacrontab 107
 - /apache2 332
 - /apparmor.d 469
 - /apt/apt.conf.d 111
 - /apt/sources.list 111
 - /cups/* 318
 - /dansguardian 483
 - /dansguardianfl.conf 485
 - /dhcp3/dhclient.conf 67, 192
 - /dhcp3/dhcpcd.conf 196, 203
 - /dnsmasq.conf 191
 - /dovecot 408
 - /event.d 95
 - /exports 212
 - /fstab 135
 - /ftpusers 362
 - /hostname 69
 - /hosts 69, 190
 - /hosts.allow 435, 436
 - /hosts.allow (NFS) 213
 - /hosts.deny 435, 436
 - /hosts.deny (NFS) 213
 - /idmapd.conf 217, 220, 265
 - /inetd.conf 434
 - /krb5.conf 249
 - /krb5kdc/kdc.conf 249
 - /krb5kdc/kadm5.ac1 250

Stichwortverzeichnis

- /ldap.conf 237
- /ldap/slapd.conf 226
- /logrotate.conf 127
- /lvm 158
- /mdadm/mdadm.conf 153
- /modprobe.conf 80
- /modprobe.devfs 80
- /modprobe.d 80
- /modules 80
- /modules.conf 80
- /modules.devfs 80
- /mtab 133
- /network/interfaces 66
- /nsswitch.conf 79
- /ntp.conf 245
- /pam.conf 75
- /pam.d/* 75
- /postfix 395
- /ppp/chap-secrets 459, 463
- /ppp/pptpd-options 458
- /pptpd.conf 458
- /resolv.conf 68, 202
- /samba 280
- /smartd.conf 179
- /squid/squid.conf 476
- /sysconfig/dhcpd 198
- /sysctl.conf 83
- /syslog.conf 122
- /vsftpd.conf 362
- /webalizer 356
- ethtool 69
- ExecCGI 339
- exportfs 213
- exports 212
- ext3-Dateisystem 139
- F**
- Fakeraid 26
- fdisk 146
- Festplatte überwachen (SMART) 176
- Fetchmail 424
- FileInfo 340
- Firewall 427
 - Beispiel LAN-Router 444
 - CUPS 319
 - DNS 201
 - Kerberos 248
 - NFS 3 215
 - NFS 4 217
 - VPN (PPTP-Server) 460, 465
- FollowSymLinks 339
- force group = sales 293
- forcefsck 144
- freshclam 422
- fsck.ext3 143
- fsid (NFS) 218
- fstab 135
- FTP
 - Masquerading 188
 - Server 361
- ftputils 362
- G**
- getent 241
- getprinc 271
- gpg 501
- gpm 59
- groupadd 72
- groupdel 72
- groupmod 72
- groups 72
- GRUB 85
 - LVM 31
 - RAID 27, 155
 - reparieren 92
- grub-install 93
- gss/krb5i 260
- gss/krb5p 260
- GSSAPI 254
- GTUBE-Testnachricht 420
- guest account 294
- guest ok 295
- guest only 295
- H**
- Hardware-RAID 26
- Heimdal 248
- Home-Server 295
- host 390, 391
- Hostname 69
- hosts 69
- hosts allow 284
- hosts deny 284
- hosts.allow 435, 436
 - NFS 213
- hosts.deny 435, 436
 - NFS 213
- .htaccess-Datei (Apache) 343
- htpasswd 342
- HTTP-Proxy 475

- httpd.conf 333
- HTTPS 350
- I**
- ICMP 430
- id 72
- /idmapd.conf 265
- idmapd.conf 217, 220
- ifconfig -a 70
- ifup 67
- IMAP 423
- IMAP-Server 386
- Includes 339
- Indexes 339, 340
- inetd.conf 434
- init (Kerneloption) 93
- Init-V-System 98
 - eigene Scripts 104
 - Firewall-Beispiel 445
 - Kernelparameter 83
- initctl 98
- initrd (Kerneloption) 94
- Initrd-Datei 86
- inkrementelle Backups 496
- insecure (NFS) 213
- insmod 81
- inted 434
- interfaces 283
- Internet Service Daemon 434
- invalid users 282
- ip 67
- IP-Ports 428
- IP-Protokolle 430
- iptables 440
 - transparenter Proxy-Cache 479
- J**
- jmacs 59
- journal (Journaling-Modus) 140
- K**
- kdb5_util 272
- KDC 247
- kdc.conf 249
- Kerberos 246
 - Backup 272
 - Benutzerverwaltung 268
 - Ticket-Lebensdauer 270
- Kernel
 - Einstellungen ändern 82
 - Logging 125
 - Module 79
 - Parameter 82
- Kickstart 267
- kinit 250, 252
- kjournald 140
- klist 250, 252
- klogd 121
- kmod 80
- Konsole 57
- krb5.conf 249
- krb5_newrealm 249
- L**
- L2TP 452
- LAN-Server 182
- LDAP 221, 223
 - Administrator-Passwort ändern 231
 - Backup 242
 - Client-Konfiguration 236
 - Kerberos-Integration 253
- ldap.conf 237
- ldapadd 230
- ldapdelete 235
- ldapmodify 230
- ldappasswd 230, 231
- ldapscripts 234
- ldapsearch 230
- ldapwhoami 255
- LDIF 224
- lftp 500
- Limit 340
- LinNeighborhood 312
- linux-restricted-modules 81
- Listen 341
- LLTD 314
- local_recipient_maps 399
- log file 284
- Logging 121
 - Apache 356
 - Kerberos 252
 - Logrotate 126
 - Logwatch 128
 - MySQL 383
 - Postfix 406
 - Samba 284
- logical volume 30
- Logical Volume Manager 28
- LogLevel 338
- logon drive 309
- logon path 308

Stichwortverzeichnis

- logon script 309
- logrotate
 - Apache 356
 - MySQL 366
 - Samba 284
 - Webalizer 360
- Logrotate 126, 356
- Logwatch 128
- lostfound 144
- lrm-manager 81
- lsmod 81
- lsof 432
- lvcreate 159, 160, 498
- lvdisplay 159
- lvextend 159, 161
- LVM
 - Administration 158
 - Backup mit Snapshots 498
 - GRUB 31
 - Grundlagen 28
 - nachträglich einrichten 162
 - Snapshots 379
 - Swap-Partition 31
- lvm.conf 158
- lvreduce 159
- lvremove 159, 499
- lvscan 159
- M**
- MAC 468
- MAC-Adresse 193
- Mail *siehe* E-Mail 385
- Mail-Server 385
- Mailbox 395
 - Dovecot 409
- Maildir-Postfach 423
- Mailing-Listen 424
- mailq 406
- main.cf 396
- makepasswd 328, 401
- map to guest = bad user 294
- Maschinenkonto (Samba) 305
- Masquerading 186
 - FTP 188
 - Probleme 187
- Maus (in der Konsole) 59
- max log size 284
- max_life 270
- max_renewable_life 270
- Mbox-Postfach 395
- MBR 86
- MDA 386
- mdadm 151, 152, 165
- mdadm.conf 153, 166
- md_mod (RAID) 26
- Medien-Server 182, 295
- menu.lst 87
- migrationtools 234
- Milter-Schnittstelle 418
- Mirroring 25
- mkconf 153
- mkfs.ext3 140
- mkinitramfs 89
- mkswap 138
- modprinc 271
- modprobe 81
- modprobe.conf 80
- Module 79
- modules.conf 80
- mount 133, 134
 - Optionen 136
- mppe-xxx (PPP) 458
- ms-dns (PPP) 459
- MSS-Clamping 188
- MTA 386
- mtab 133
- MUA 386
- Multi-Threading (Apache) 332
- MultiViews 339
- Mutt 391
- MX-Eintrag 389
- mydestination 402
- mydestinations 397
- myhostname 397
- mylvmbackup 379
- mynetworks 397
- myorigin 397
- mysql 368
- MySQL 363
 - absichern 375
 - Administration 368
 - Backups 376
 - Installation 364
 - Konfiguration 365
 - Version 5.1 363, 367
 - Zugriffsrechte 374
- mysqladmin 370
- mysqldump 377

- N**
- Name Service Switch 78
- named 200
- Nameserver 190
- NameVirtualHost * 345
- NAT 186
- NAT-Tabelle (ipchains) 439
- NetBIOS 276
- netstat 430
- Network Manager
 - am Server 66
 - LDAP-Probleme 236
 - PPTP 464
- Netzwerkaktivität überwachen 430
- newaliases 399
- newgrp 72
- newusers 72
- NFS 211
 - Firewall 215, 217
 - Geschwindigkeit 213
 - Kerberos (Client) 264
 - Kerberos (Server) 258
 - NFS 3 211
 - NFS 4 217
 - root 213
- nfsd 211
- nfsd4 211
- NIS 215
- nmap 432
- nmbd 280
- noatime (mount-Option) 136
- nohide (NFS) 218
- noresume (Kerneloption) 94
- no_root_squash (NFS) 213
- no_subtree_check (NFS) 213
- nscd 237
- NSS 78
 - LDAP 239
- NTP 244
- ntpd 244
- ntpdate 244
- ntpq 245
- O**
- offene Ports finden 430
- openbsd-inetd 434
- openssl 351
- OpenSwan 452
- OpenVPN 453
- Options 339, 340
- Order 340
- ordered (Journaling-Modus) 140
- P**
- Pakete 109
 - aktualisieren 114
 - entfernen 113
 - installieren 112
 - Proxy (apt-cacher) 117
- PAM 75
 - Kerberos 262
 - LDAP 237
- pam-auth-update 78, 263
- pam-krb5-migrate 269
- Parity Striping 25
- parted 150, 164
- Partitionen
 - Administration 145
 - für den Server-Einsatz 19
 - fdisk-Bedienung 146
 - Festplattengrundlagen 17
 - ID-Nummer 147
 - Installation 41
 - Typen 18
- passdb backend 282
- passwd 72
- Passwortverwaltung
 - Apache 341
 - CPU (LDAP) 232
 - Kerberos 243
 - PAM 75
 - Samba 287
- path 292
- pdbedit 287
- PDC 278, 303
- pdnsd 200
- perchild 332
- PHP 355
- php.ini 356
- phpMyAdmin 371
- physical device 31
- physical extent 31
- physical volume 30
- ping 71
- poff 463
- policyd-weight 415
- policyd-weight 415
- pon 463
- POP-Server 386, 408
 - Authentifizierung 410

Stichwortverzeichnis

- Port-Scan 432
 - portmap 211
 - Ports-Liste 428
 - Postfach
 - Maildir-Format 423
 - Mbox-Format 395
 - virtuell 404
 - Postfix 393
 - Alias 398
 - als lokaler E-Mail-Server 406
 - Logging 406
 - virtuelle Domänen 402
 - postmap 395, 400
 - postqueue 406
 - PPP 453
 - PPTP 453
 - pptpd 458
 - pptpd.conf 458
 - prefork 332
 - primäre Partition 18
 - Primary Domain Controller 278, 303
 - Prinzipal 247
 - /proc
 - /sys 82
 - /mdstat 152
 - /mounts 133
 - Procmail 386, 424
 - Profile-Verzeichnis (Samba) 307
 - Proxy (apt-cacher) 117
 - proxy-arp (PPP) 458
 - Proxy-Cache 475
 - pty (PPP) 462
 - pvcreate 159
 - pvdisk 159
 - pvremove 159
 - pvscan 159
- Q**
- quiet (Kerneloption) 94
- R**
- RAID
 - Administration 151
 - GRUB 27
 - Grundlagen 24
 - Hardware versus Software 26
 - Level 24
 - nachträglich einrichten 162
 - RAID-0 24
 - RAID-1 25
 - RAID-10 25
 - Reparatur 157
 - Swap-Partition 28
 - Überwachung 154
 - rdiff-backup 496
 - Realm (Kerberos) 247
 - refuse-xxx (PPP) 458
 - relatime (mount-Option) 136
 - relayhost 397
 - Require 343
 - require-mppe-128 (PPP) 462
 - require-xxx (PPP) 458
 - resize2fs 142
 - resolv.conf 68, 202
 - Reverse DNS 390
 - rmmmod 82
 - ro (Kerneloption) 93
 - Roaming (Samba) 307
 - root
 - Kerneloption 93
 - NFS 213
 - sudo 58
 - root-Passwort 75
 - Root-Partition 19
 - Root-Server 326
 - rootdelay (Kerneloption) 94, 156
 - root_squash (NFS) 213
 - route -n 71
 - rpc.gssd 265
 - rpc.idmapd 217, 259
 - rpc.mountd 211
 - rpc.svcgssd 259
 - rpcinfo 216
 - RPCs 211
 - rsync 494
 - Runlevel 98
- S**
- Samba 275
 - Gäste 294
 - Netzwerkverzeichnisse einrichten 291
 - Passwörter 287
 - Primary Domain Controller 303
 - Sicherheitsmechanismen 277
 - SASL 254
 - Schlüssel
 - HTTPS (Apache) 350
 - POP/SMTP (Dovecot) 412
 - SSH 329
 - ScriptAlias 339

- security 282
- securityfs 470
- SELinux 468
- server string 281
- ServerAdmin 338
- ServerAlias 345
- ServerName 345
- ServerSignatur 338
- services-admin 103
- sfdisk 172
- Share-Level-Sicherheit 277
- Shares 277
- showmount 216
- Sicherheit
 - Apache 341
 - MySQL 375
- single (Kerneloption) 93
- slapadd 242
- slapcat 229, 231, 242
- slapd.conf 226
- Small Business Server 182
- SMART 176
- smartctl 177
- smartd 179
- smb.conf 280
- smbclient 313
- smbd 280
- smbpasswd 287
- smbstatus 283
- SMTP
 - Authentifizierung 411
- smtpd_recipient_restrictions 415
- Snapshots (LVM) 379
- Software-RAID 26
- sources.list 111
- Spam-Schutz 413
- spamass-milter 420
- SpamAssassin 417
- SPF 419
- Squid 475
- squid.conf 476
- ssh 62
- SSH 327
 - absichern 327
- SSL 350
- SSLCiperSuite 354
- SSLEngine 354
- SSLProtocol 354
- start 98
- status 98
- stop 98
- Striping 24
- subtree_check (NFS) 213
- sudo 58
- Swap-Partition 19, 138
 - LVM 31
 - RAID 28
- swapon 138
- swappiness-Parameter 138
- sync (NFS) 213
- /sys
 - /kernel/security 470
- sysctl 83
- syslogd 121
- syslog 284
- syslog.conf 122
- syslogd 122
- Systempartition 19
- Systemstart 85
- T
- tar 492
- Tartarus 502
- taskset 114
- TCP-Wrapper 435
- tcpd 435
- TDB 287
- telinit 98
- TGT 246
- Ticket (Kerberos) 247
 - Lebensdauer 270
- transparenter Proxy-Cache 479
- tune2fs 143, 144
- U
- udev-Fehlermeldungen
 - (NSS/LDAP) 240
- UDP 430
- ufw 443
- umount 135
- unable to re-read the partition table 56
- unattended-upgrades 115
- Unicode (Apache) 335
- unix password sync 289
- Update (Pakte) 114
- update-grub 90
- update-initramfs 167
- update-rc.d 102
- user 292
- User-Level-Sicherheit 277

Stichwortverzeichnis

useradd 72
userdel 72
usermod 72
username map 290
usershare allow guests 294
UUID einstellen (ext3) 144

V

Vacation 424
vgchange 159
vgcreate 159, 160
vgdisplay 159
vgextend 159
vgmerge 159
vgreduce 159
vgrename 159
vgscan 159
Viren (Windows) 421
Virenschutz 413
Virtual Private Network 451
virtual_alias_domains 403
VirtualHost 345
virtual_mailbox_domains 404
virtuelle Domänen (Postfix) 402
virtuelle Hosts 344
virtuelle Postfächer 404
volume group 30
VPN 451
 Client-Konfiguration 461
 Server-Konfiguration 455
vsftpd 362

W

Webalizer 356
 logrotate 360
WebDAV 361
Webfilter 483
Webmail 424
WINS 276
 DHCP-Konfiguration 197
WLAN 208
worker 332
workgroup 281
Workgroup-Sicherheit 277
writeable 292
writeback (Journaling-Modus) 140

X

xconsole 125
xinetd 434

Z

Zeichensatz (Apache) 335
Zeit (ntp-Server) 243
Zertifikat
 HTTPS (Apache) 350
 POP/SMTP (Dovecot) 412

